

# HYDROCELL CRATE 620KN/m<sup>2</sup>

## Product Data Sheet

**PRODUCT CODE - HCC60**

**Dimensions | 1000mm x 500mm x 400mm**


**Volume | 0.2m<sup>3</sup>**

**Storage Volume | 190 Litres [0.19<sup>3</sup>]**

**Void Ratio | 95%**

**Unit Weight | 12kg**

**Material | Polypropylene**



HydroCell crates are designed for high-load applications at greater depths, making them suitable for residential, industrial, and civil engineering projects. They offer a compressive strength of 62 tonnes/m<sup>2</sup>.

The crates are made from recycled materials, supporting sustainability and minimising harmful environmental emissions.

When constructing a soakway, these underground storage units are bound with purchased heavy, unwoven geotextiles to allow water discharge to the subsurface.

### Key Benefits

- Compressive strength of 62 tonnes/m<sup>2</sup>
- 95% void ratio
- Integrated inlet and outlet [160mm/110mm]
- 100% recyclable

### Minimum Cover Level

- Pedestrian - 500mm
- Light Trafficked [<GVW] -  
    <3 tonne = 500mm  
    <9 tonne = 650mm

Installation guidance and assistance is available  
For further information, please call 0121 552 8887

[info@polydraincivils.com](mailto:info@polydraincivils.com) | [www.polydraincivils.com](http://www.polydraincivils.com)

